


# Mycofix® Plus 3.E

Naturally ahead in mycotoxin risk management!



With 5 active modules Mycofix® Plus protects animals from mycotoxicoses




**Synergistic Blend of Minerals<sup>1</sup>**


<sup>1</sup>Authorized in EU, Regulation No 1060/2013




**Biological Constituent**



**Inactivated Bioprotein**



**Phytogenic Substances**



**Phycophytic Constituents**

## Recommended for:

Rations, contaminated with various mycotoxins

- Sows, gilts and piglets
- Dairy cattle
- Poultry breeders

## Benefits:

- Targets agriculturally relevant mycotoxins (aflatoxins, trichothecenes, zearalenone, fumonisins, ochratoxin A and ergot alkaloids).
- Effective binding of aflatoxin B1 by bentonite and prevention of their absorption.
- Registered under Commission Implementing Regulation (EU) No 1060/2013.
- Reduced liver and intestinal tract membrane damages caused by the presence of mycotoxins in feed.
- Reduces mycotoxin related fertility problems.

Learn more at [dsm-firmenich.com/anh](https://dsm-firmenich.com/anh)



**dsm-firmenich** ●●●

# Mycofix<sup>®</sup> Plus 3.E

Naturally ahead in mycotoxin risk management!

## Administration:

Mycofix<sup>®</sup> Plus 3.E is added directly into the feed during mixing.

## Dosage:

Prevention: 0.5 – 1 kg/mt of finished feed

- Sows in all phases: 1.5 – 2.5 kg/mt of finished feed\*
- Piglets and gilts: 1.5 – 2.5 kg/mt of finished feed\*
- Dairy cattle: 10 – 50 g/cow/day\*
- Poultry breeders: 1.5 – 2.5 kg/mt of finished feed\*

\* depending on the contamination level

## Packing:

25 kg plastic bag in corrugated cartons

## Stability:

18 months from production date

## Storage:

Store in a dry place and avoid direct sunlight

**Disclaimer:** dsm-firmenich has used diligent care to ensure that the information provided herein is accurate and up-to-date, however, dsm-firmenich makes no representation or warranty, either expressly or implied, of the accuracy, reliability, or completeness thereof. The information provided herein contains scientific and product information for business to business use and does not constitute or provide scientific or medical advice, diagnosis, or recommendation for treatment. Country or region-specific information should be considered when labeling or advertising to the final consumer. In no event shall dsm-firmenich be liable for any damages arising from or reliance upon, or use of, any information provided herein. The content of this document is subject to change without further notice. Please contact your local dsm-firmenich representative for further details. All trademarks listed in this document are either (registered) trademarks of, or trademarks licensed by, the dsm-firmenich group of companies in the Netherlands and/or other countries, unless explicitly stated otherwise.  
© dsm-firmenich, 2024.